TECHNICAL DATA SHEET



ECO INSTRUMENTATION CABLE 0.5mm² OS - BLACK TRIAD


NOT FOR MAINS CONNECTION

APPLICATION: Used in process control applications for interconnecting measurement instruments, instrument panels, sensing devices and control systems.





MASER MAU1T0.50S ECO INSTRUMENTATION CABLE 1TR 0.5mm2 OS



TECHNICAL DATA

Conductor	0.5mm² (7/0.30) Stranded Plain Annealed Copper Conductor				
Insulation	V-90HT PVC, Red, Black & White Numbered Twisted Pairs				
Screen	Overall Aluminium/Polyester Foil Shield with 7/0.20mm Tinned Copper Drain Wire				
Sheath	5V-90 PVC - Black UV Resistant				
Operating Voltage	110V AC/150V DC				
Max. DC Conductor Resistance @ 20°C (Ω/km)	38.4				
Insulation Resistance (MΩ/km)	140				
Nominal Capacitance Conductor to Conductor (pF/m) Conductor to Shield (pF/m)	145 240				
Inductance @ 1kHz (μH/m)	0.70				
Operating Temperature	-20°C to +90°C				
Bending Radius	8xOD				
Standards	International: IEC 60332-3-22 Australia/New Zealand: AS/NZS 1125, AS/NZS 3808, AS/NZS 1660 Compliant to BEP PVC Best Practice (GreenStar)				

PHYSICAL CHARACTERISTICS

Product Code	No. of Triads	Conductor Area	Insulation Thickness	Nominal O.D.	Reel Quantity	Package Dimensions	Package Weight
		(mm²)	(mm)	(mm)	(m)	(LxWxH)	(kg)
MAU1T0.50S/100m	1	0.5	0.4	5.6	100	25 x 25 x 16cm	5.0
MAU1T0.50S/500m		0.5	0.4	5.6	500	35 x 35 x 30cm	23.4

Disclaimer: Although Maser Australia makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice. Maser provides the information and specifications herein on an "AS Is" basis, with no representations or warranties, whether express, statutory or implied. In no event will Maser be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Maser has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein