TECHNICAL DATA SHEET



V. 0325-01


INSTRUMENTATION CABLE 0.5mm² OS - BLUE

NOT FOR MAINS CONNECTION

APPLICATION: Used in process control applications for interconnecting measurement instruments, instrument panels, sensing devices and control systems. These cables are not to be regarded as power cables and should not be used for the direct connection of equipment to mains power supplies.

MASER MAU5002CS BE 2PR 0.5mm2 PAC/PVC/CS/PVC V90 RoHS





TECHNICAL DATA

Conductor	Stranded Plain Annealed Copper Conductor 0.5mm² (7/0.30)			
Insulation	PVC, V-90, White & Black Numbered Twisted Pair			
Screen	Overall Aluminium/Polyester Foil Shield with 7/0.20 Tinned Copper Drain Wire			
Sheath	Blue PVC, 5V-90, Flame Retardant UV Resistant			
Operating Voltage	110V AC/150V DC			
Operating Temperature	-20°C to +90°C			
Bending Radius	8D			
Standards	International: IEC 60332-3-22, IEC 60079.14 Australia/New Zealand: AS/NZS 1125, AS/NZS 3808, AS/NZS 1660			

Maximum Current Rating (Amps)	3.2
Conductor Resistance @ 20°C (Ω/km)	38.4
Capacitance Cond. to Cond Unscreened (pf/m)	85
Capacitance Cond. to Cond Screened (pf/m)	145
Capacitance Cond. to Scr Screened (pf/m)	240
Characteristic Impedance @ 1kHz Unscreened (Ohms)	380
Characteristic Impedance @ Screened 1kHz (Ohms)	300
Inductance @ 1kHz (mH/km)	1.0
LR Ratio (uH/Ω)	13.7

PHYSICAL CHARACTERISTICS

Product Code	No. of Pairs	Conductor Area	Conductor Stranding	Insulation Thickness	Nominal O.D.	Approx. Weight
		(mm²)	(No./mm)	(mm)	(mm)	(kg/km)
MAU5001CS BE	1	0.5	7/0.30	0.4	5.2	33
MAU5002CS BE	2	0.5	7/0.30	0.4	7.3	58
MAU5004CS BE	4	0.5	7/0.30	0.4	8.8	93
MAU5006CS BE	6	0.5	7/0.30	0.4	10.7	135
MAU5008CS BE	8	0.5	7/0.30	0.4	11.2	172
MAU5010CS BE	10	0.5	7/0.30	0.4	13.5	223
MAU5012CS BE	12	0.5	7/0.30	0.4	13.9	256
MAU5016CS BE	16	0.5	7/0.30	0.4	15.8	340
MAU5020CS BE	20	0.5	7/0.30	0.4	17.7	421
MAU5024CS BE	24	0.5	7/0.30	0.4	19.7	504
MAU5036CS BE	36	0.5	7/0.30	0.4		
MAU5050CS BE	50	0.5	7/0.30	0.4		

Disclaimer: Although Maser Australia makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice. Maser provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Maser be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whotsoever, even if Maser has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein