## **TECHNICAL DATA SHEET**



V. 0325-01


# INSTRUMENTATION CABLE 1.5mm<sup>2</sup> OS - BLUE

#### NOT FOR MAINS CONNECTION

**APPLICATION:** Used in process control applications for interconnecting measurement instruments, instrument panels, sensing devices and control systems. These cables are not to be regarded as power cables and should not be used for the direct connection of equipment to mains power supplies.

MASER MAU5502CS BE 2PR 1.5mm2 PAC/PVC/CS/PVC V90 RoHS





#### **TECHNICAL DATA**

Conductor	Stranded Plain Annealed Copper Conductor 1.5mm² (7/0.50)				
Insulation	PVC, V-90, White & Black Numbered Twisted Pair				
Screen	Overall Aluminium/Polyester Foil Shield with 7/0.20 Tinned Copper Drain Wire				
Sheath	Blue PVC, 5V-90, Flame Retardant UV Resistant				
Operating Voltage	110V AC/150V DC				
Operating Temperature	-20°C to +90°C				
Bending Radius	8D				
Standards	International: IEC 60332-3-22, IEC 60079.14 Australia/New Zealand: AS/NZS 1125, AS/NZS 3808, AS/NZS 1660				

Maximum Current Rating (Amps)	13	
Conductor Resistance @ 20°C (Ω/km)	13.6	
Capacitance Cond. to Cond Unscreened (pf/m)	110	
Capacitance Cond. to Cond Screened (pf/m)	200	
Capacitance Cond. to Scr Screened (pf/m)	300	
Characteristic Impedance @ 1kHz Unscreened (Ohms)	200	
Characteristic Impedance @ Screened 1kHz (Ohms)	150	
Inductance @ 1kHz (mH/km)	0.95	
LR Ratio (uH/ $\Omega$ )		

### PHYSICAL CHARACTERISTICS

Product Code	No. of Pairs	Conductor Area	Conductor Stranding	Insulation Thickness	Nominal O.D.	Approx. Weight
		(mm²)	(No./mm)	(mm)	(mm)	(kg/km)
MAU5102CS BE	1	1.5	7/0.50	0.4	6.4	57
MAU5502CS BE	2	1.5	7/0.50	0.4	9.6	106
MAU5503CS BE	3	1.5	7/0.50	0.4	10.5	138
MAU5504CS BE	4	1.5	7/0.50	0.4	11.2	183
MAU5506CS BE	6	1.5	7/0.50	0.4	14.3	289
MAU5508CS BE	8	1.5	7/0.50	0.4	15.2	371
MAU5510CS BE	10	1.5	7/0.50	0.4	18.3	475
MAU5512CS BE	12	1.5	7/0.50	0.4	18.9	550
MAU5516CS BE	16	1.5	7/0.50	0.4	20.7	713
MAU5520CS BE	20	1.5	7/0.50	0.4	23.4	894
MAU5524CS BE	24	1.5	7/0.50	0.4	25.9	1057
MAU5536CS BE	36	1.5	7/0.50	0.4		
MAU5550CS BE	50	1.5	7/0.50	0.4		

Disclaimer: Although Maser Australia makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice. Maser provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Maser be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Maser has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications