

## Cable blowing machine for BACKBONE AND ACCESS NETWORK

### MultiFlow has many advantages

- User friendly design**  
 MultiFlow has a user friendly design, which makes the machine very easy to operate. The machine is designed with main focus on functionality that makes cable blowing easy.
- Efficient blowing**  
 - of microducts into ducts - relining.  
 MultiFlow is a very efficient cable blowing machine for blowing microducts into ducts as it is able to blow multiple microducts in one go. The machine is able to blow many different combinations of duct and microducts.
- Cable blowing using either air or water**  
 With MultiFlow it is possible to install microducts and fiber cables using either air or water. With water assisted cable blowing you can achieve higher pressure, which is particularly advantageous when installing multiple microducts in one go or large cables.
- Robust**  
 MultiFlow is constructed in a way that it is robust and can withstand being used under the special conditions that sometimes occur on cable blowing locations.
- Flexible**  
 MultiFlow is very flexible as it is both suited for blowing microducts as well as large fiber cables. Furthermore the machine can quickly be changed to blow different sizes and numbers of microducts. There are many different sizes and combinations available to fit the different dimensions needed in a specific situation. Possible to stop before cable damage.



### SPECIFICATIONS

Cable diameter <sup>1</sup> :	5.5 - 32 mm
Duct diameter:	18 - 70 mm
Blowing distance <sup>2</sup> :	Up to 10000 m
Blowing speed <sup>3</sup> :	Up to 80 m/min.
Recommended pressure and airflow :	8-12 bar (8,000-12,000 l/pr. min.)
Weight:	40 kg
Length:	700 mm
Width:	230 mm
Height:	350 mm

<sup>1)</sup> Two sets of chains needed (5.5-8 mm / 8-32 mm).

<sup>2)</sup> Depending on type of microduct and cable.

<sup>3)</sup> Cooled and dried air.

### ATTENTION!

The following equipment is needed to run: Hydraulic Power Pack/Control valve and high pressure compressor. We offer all accessories on request.